



Machinery Parts Co., Ltd.



RCJ2 15/16 Bearing 2D drawings and 3D CAD models

TIMKEN RCJ2 15/16 Flange Block Bearings

Bearing No. RCJ2 15/16

Category	Flange Block Bearings
Inventory	6.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	8.22
EAN	0087796061934
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Eccentric Collar
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	25/32 Inch
Relubricatable	Yes
Insert Part Number	G1215KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Square Flange Block; 2-15/16" Bore; 8-1/2" Bolt Circle; 6" Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 2-15/16" Length Thru Bore; Relubrica



Machinery Parts Co., Ltd.

Other Features	Single Row Normal Duty With Set Screw
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	RCJ 2 15/16
Weight / LBS	18.1
d	2.938 Inch 74.625 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
D	2.938 Inch 74.625 Millimeter
Nominal Bolt Circle Diameter Round	8.5 Inch 215 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Bolt Spacing	6 Inch 152.4 Millimeter
Shaft Size d	2 15/16 in
Dimension D	6.374 in
Dimension E	3.807 in
Inside Ring Outside Diameter	3.980 in
Series	Industrial
Weight	18.1 lb
Seal Type	Shroud Seal
Total Length L	196.8 mm
Housing Width A	2.626 in
Bolt Hole Spacing J	152.4 mm
Bolt Hole Size N	16 mm
Flange Thickness A1	22.2 mm
Center of Bearing from Housing End A2	41.9 mm



Machinery Parts Co., Ltd.

Inside Ring Width B	=Bearings1_Inside Ring Width= mm
Bolt Size	M16
Center of Bearing from Bearing End S	41.9 mm
Static Load Rating	10100 lbf
Dynamic Load Rating	15500 lbf